
Scene Statistics


Part 2

Odelia Schwartz
2020

Summary


- We've considered bottom-up scene statistics, efficient coding, and relation of linear transforms to visual filters
- This class: going beyond learning V1 like linear filters

Beyond linear




- Filter responses as independent as possible assuming a linear transform
- But are they independent?

Bottom-up Joint Statistics




Bottom-up Joint Statistics





Bottom-up Joint Statistics

$histo(X_1 | X_2 \approx 0.1)$




$histo(X_1 | X_2 \approx 0.8)$






Are X_1 and X_2 statistically independent?

Bottom-up Joint Statistics

$histo(x_1 | x_2 \approx 0.1)$




$histo(x_1 | x_2 \approx 0.8)$





X_1 and X_2 are **not** statistically independent

Bottom-up Joint Statistics




Bottom-up Statistics

Filter pair and different image patches...




Bottom-up Statistics

Image patch and different filter pairs...



Modeling filter coordination


Modeling filter coordination in images



- Learning how more complex representations build up from the structure of dependencies in images
- Reducing dependencies further via nonlinear:
 - divisive normalization – linking to spatial context effects (later)

Modeling filter coordination


Modeling filter coordination in images



What kind of complex representations?

Modeling filter coordination

Modeling filter coordination in images



What kind of complex representations?

1. In V1, eg complex cells
2. Higher visual areas


Modeling filter coordination

Modeling filter coordination in images

**First what we know; then learning
from dependencies in images**



More complex representations

In primary visual cortex (capturing an invariance)




Adelson & Bergen (1985)

Beyond Primary Visual Cortex



Wallisch and Movshon 2008;
After Felleman and Van Essen, 1991

Beyond Primary Visual Cortex




“each area is drawn with a size proportional to its cortical surface area, and the lines connecting the areas each have a thickness proportional to the estimated number of fibers in the connection. The estimate is derived by assuming that each area has a number of output fibers proportional to its surface area and that these fibers are divided among the target areas in proportion to their surface areas.”



Wallisch and Movshon 2008;
After Felleman and Van Essen, 1991

**What changes along the
visual hierarchy?**

RF size increases at higher levels




Beyond Primary Visual Cortex





More complex representations

Example of V2 neurophysiology




More complex representations

Example of V2 neurophysiology




More complex representations

Example of V2 neurophysiology





More complex: Figure ground




Zhou et al. von der Heydt, 2000; Zhaoping 2005

Beyond Primary Visual Cortex




More complex representations

Example of V4 neurophysiology





More complex representations

Example of V4 neurophysiology




Beyond Primary Visual Cortex




28

From Adam Kohn


More complex representations



More complex representations



Selectivity and tolerance increase at higher levels



More complex representations

What about learning from natural images beyond V1 like filters ?

Types of learning?


Types of learning

- Unsupervised
- Supervised, discriminative
- (Reinforcement learning)

Deep learning and unsupervised


- Some work on learning hierarchy across several layers with unsupervised approaches
- Large scale supervised, discriminative learning has had success in scene recognition in recent years (eg, with Krizhevsky et al. 2012) from the machine learning perspective, and some studies have started linking to cortical processing

Extensions to ICA




- from Hyvarinen and Hoyer; relax independence assumption; nearby units no longer independent; but different neighborhoods independent of one another...

Extensions to ICA



- Hyvarinen and Hoyer


Extensions to ICA



38


- Hyvarinen book: shown smaller group of dependent filters

Complex cell



Adelson & Bergen (1985)


Unsupervised learning



Lee, Ekanadham, NG, 2007:

- 2-layer sparse coding (first layer)



Unsupervised learning



Lee, Ekanadham, NG, 2007:


- 2-layer sparse coding (second layer)

Unsupervised learning



- Hosoya, Hyvarinen, 2015
- Significant dimensionality reduction via PCA before expansive ICA on "complex cells"

Optimal normalization in first layer can help unsupervised learning of next layer



V2 model units


Linear transform
(e.g., PCA)

V1 model units



Nonlinear transform
(e.g., flexible divisive
normalization)

Optimal normalization in first layer can help unsupervised learning of next layer



- Flexible normalization in V1 model units results in more sophisticated V2 units than with standard or no normalization



Flexible normalization and perceptual tasks: recognition



Flexible normalization and perceptual tasks: figure-ground classification




Hierarchical ICA

- Everything we have seen thus far: Unsupervised Learning
- There is no supervision about what object is in the image (eg, car versus tree)

Deep learning and unsupervised


Large scale supervised,
discriminative learning
has had success in recent
years (eg, with Krizhevsky
et al. 2012)

“Neural networks are an old idea, so what is new now?”



Taken from <https://devblogs.nvidia.com/parallelforall/mocha-jl-deep-learning-julia/>

Artificial neural networks regained popularity in 2012: what happened?



Deep neural networks and the visual brain






figure from Yamins and DiCarlo 2016

- Very loosely based on the visual brain hierarchical structure
- Intriguing similarities to cortical neurons (Yamins and Di Carlo 2016; Kriegeskorte 2015)
- But also some (e.g., perceptual) failures


Deep networks: supervised more layers




Layer 1




Deep networks: supervised more layers



Deep networks: supervised more layers



Deep networks: supervised more layers




55

Zeiler, Fergus 2014


Layer 5

Deep networks: nonlinearities




The importance of nonlinearities (From Lee NIPS 2010 workshop; Jarrett, LeCun et al. 2009)

Deep networks: nonlinearities





The importance of nonlinearities (From Lee NIPS 2010 workshop; Jarrett, LeCun et al. 2009)

Deep networks: nonlinearities



The importance of nonlinearities (Jarrett, LeCun et al. 2009)

Incorporating biologically motivated computations into deep neural networks



- Turner, Sanchez Giraldo, Schwartz, Rieke, Nature Neuroscience 2019
- Sanchez Giraldo, Schwartz, arXiv 2018